

roper

Based on Agency For Healthcare Research And Quality Measures

Hospital Name

ROPER HOSPITAL

Death from serious treatable complications after surgery

No Different than U.S. National Rate

Collapsed lung due to medical treatment

No Different than U.S. National Rate

Breathing failure after surgery

No Different than U.S. National Rate

Serious blood clots after surgery

No Different than U.S. National Rate

A wound that splits open after surgery

No Different than U.S. National Rate

Accidental cuts and tears from medical treatment

No Different than U.S. National Rate

Serious Complications

No Different than U.S. National Rate

Death after surgery to repair a weakness in the abdominal aorta

Not Available

Deaths after admission for broken hip

Not Available

Deaths from Certain Conditions

Not Available

Rate - Death from serious treatable complications after surgery

142.62

Rate - Collapsed lung due to medical treatment

0.21

Rate - Breathing failure after surgery

Not Available

Rate - Serious blood clots after surgery

5.15

Lower Estimate - Serious blood clots after surgery

3.62

Rate - A wound that splits open after surgery

1.76

Rate - Accidental cuts and tears from medical treatment

1.38

Rate - Serious Complications

Not Available

Rate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Rate - Deaths after admission for broken hip

Not Available

Rate - Deaths from Certain Conditions

Not Available